

Trends in road development and access management in the Cabinet–Yaak and Selkirk grizzly bear Recovery Zones

Bob Summerfield^{1,4}, Wayne Johnson^{2,5}, and David Roberts^{3,6}

¹U.S. Department of Agriculture Forest Service, Northern Region, PO Box 7669, Missoula, MT 59807, USA

²U.S. Department of Agriculture Forest Service, Kootenai National Forest, 1101 U.S. Highway 2 West, Libby, MT 59923, USA

³U.S. Department of Agriculture, Idaho Panhandle National Forests, 1500 Highway 2, Sandpoint, ID 83864, USA

Abstract: Unlimited use of forest roads can result in taking of grizzly bears (*Ursus arctos*) and reduced progress toward recovery. We examined trends in road development and motorized access management in the Cabinet–Yaak and Selkirk grizzly bear recovery zones by evaluating 3 bear management units (BMUs) for amount and density of open and total roads and security core habitat during 3 periods (1975, 1987, and 2001). New road construction and access management activities such as road use restrictions, road closures and road decommissioning governed the amount and kinds of roads present. In 1975, nearly all roads were open to public access, but the amount of open roads declined during subsequent periods. Closed roads increased correspondingly, and by 1987, public motorized access was excluded from the majority of roads in some BMUs. Road decommissioning, nonexistent in 1975 and 1987, was common by 2001. Even with new construction, there were fewer open roads in 2001 than in 1987 and 1975 for all 3 BMUs examined. Due to road decommissioning, the total length of roads in 2001 was less than during at least 1 of the 2 previous periods for all BMUs examined. For most BMUs, open motorized route density (OMRD) and total motorized route density (TMRD) peaked in 1987, and security core habitat reached its lowest level during that period. However, access management activities after approval of Forest Plans in 1987 resulted in decreases in OMRD and TMRD and increases in security core habitat. As of 2002, most of the 30 BMUs in the Cabinet–Yaak and Selkirk grizzly bear recovery zones either met or were moving toward recommended OMRD, TMRD, and security core levels. Improved habitat security through reduced open and total road densities and increased security core habitat is likely to assist in limiting grizzly bear mortality and enhancing the likelihood grizzly bears will persist in these recovery zones. Had these improvements in security not occurred, we believe these grizzly bear populations would be even more imperiled than they currently are.

Key words: bear management unit, Cabinet–Yaak, grizzly bear, mortality, open road density, security core habitat, Selkirk, total road density, *Ursus arctos*

Ursus 15(1) Workshop Supplement:115–122 (2004)

Roads on National Forest System lands are important for natural resource extraction, fire suppression, public recreation, and other legitimate multiple uses. The extensive network of roads within National Forests was developed over more than 100 years. The development of efficient mechanized logging equipment coupled with post-World War II society's increasing demand for wood products greatly accelerated forest road construction

during the second half of the 20th century. During this period of heightened road construction, an awareness of the effects of roads on wildlife began to develop. These potential negative effects of roads affect many wildlife species, including the grizzly bear, a threatened species south of Canada under the U.S. Endangered Species Act (ESA; 16 U.S. Code 1531–1544). Human motorized use of forest roads can result in taking of grizzly bears (U.S. Fish and Wildlife Service [USFWS] 1995) and can reduce progress toward recovery of the species. The management of roads to reduce these impacts has been called the most powerful tool available to balance the

⁴bsummerfield@fs.fed.us ⁵wjohnson@fs.fed.us

⁶djroberts@fs.fed.us




Fig. 1. Grizzly bear recovery zones in the northwestern continental U.S., 2003.

needs of bears with the activities of humans (USFWS 1993).

We examined trends in forest road development and management of motorized vehicular access on National Forest lands in portions of the Cabinet–Yaak and Selkirk grizzly bear recovery zones. These recovery zones have small grizzly bear populations determined to warrant uplisting to endangered species status under ESA (USFWS 1999).

The U.S. Department of Agriculture Forest Service manages the largest land base in grizzly bear habitat in the conterminous United States. Our analysis of roads and access management evaluates the agency's efforts on 2 National Forests to manage grizzly bear habitat in a manner consistent with the species' recovery objectives.

Study area

Our study area encompassed portions of the Idaho Panhandle and Kootenai National Forests in northern Idaho and northwestern Montana. These areas are in the Selkirk (approximately 5,700 km²) and Cabinet–Yaak (approximately 6,700 km²) grizzly bear recovery zones (Fig. 1). Topography ranges from a low elevation of 550 m in the valley bottoms to about 2,450 m in the Selkirk, Cabinet, and Purcell mountain ranges. The climate has a distinct Pacific maritime characteristic, including warm, dry summers and wet winters with abundant snowfall. Annual precipitation ranges from about 50 cm in the lower valley bottoms to over 200 cm on the highest mountain peaks. Dense forests dominate the landscape, including ponderosa pine (*Pinus ponderosa*) and Douglas-fir (*Pseudotsuga menziesii*) on the lower, drier slopes and western red cedar (*Thuja plicata*) and western hemlock (*Tsuga heterophylla*) on the lower, moist slopes.




Fig. 2. Bear management units in the Selkirk and Cabinet–Yaak grizzly bear recovery zones.

A mixed coniferous forest, including western larch (*Larix occidentalis*), western white pine (*Pinus monticola*), and lodgepole pine (*Pinus contorta*), exists on mid-slopes, and stands of subalpine fir (*Abies lasiocarpa*), Engelmann spruce (*Picea engelmannii*), and whitebark pine (*Pinus albicaulis*) dominate at the upper elevations.

A network of roads emanates from the valley bottoms for accessing these forested lands. Much of the area has roads, but some federally-designated wilderness and roadless lands remain, particularly at higher elevations. Vegetative changes resulting from timber harvest in association with this road network are common across the landscape. Many of these logging roads are closed to public access, and some have been restored to a semi-natural condition through road decommissioning.

Methods

Grizzly bear recovery zones are divided into bear management units (BMUs) to facilitate analysis and management (U.S. Forest Service [USFS] 1990). We selected 3 BMUs as case examples out of the 30 BMUs in the recovery zones: the Garver and North Lightning BMUs in the Cabinet–Yaak recovery zone and the Blue-Grass BMU in the Selkirk recovery zone (Fig. 2). We selected these BMUs because historical road data could be reconstructed, current road data were available, and these BMUs are spatially distributed throughout the

recovery zones (one each in the Selkirks, Cabinets, and Purcells). Land and Resource Management Plans (Forest Plans, hereafter) have been in place on these National Forests since 1987 (USFS 1987a,b).

We obtained historical and current data on roads in several management categories from maps and other records at Idaho Panhandle and Kootenai National Forest offices and from interviews of National Forest employees. The mapped road data were at the 1:24,000 scale. Road categories include:

open roads — open to all motorized vehicular access.

restricted roads — open to motorized access by authorized agency personnel, their permittees, and contractors. Access is generally restricted with gates.

closed roads — closed to all motorized vehicular access, generally with barriers.

total roads — the sum of open, restricted, and closed roads.

decommissioned roads — roads that have been reclaimed, are no longer useable by motorized vehicles, and are removed from the road system. They are no longer considered roads.

We combined the restricted and closed road categories into a single group called “closed roads” to simplify the analysis and because both categories similarly affect public access.

We collected data for 3 periods: (1) 1975, the year grizzly bears were listed as threatened under the Endangered Species Act, (2) 1987, the year Forest Plans were completed for these National Forests, and (3) 2001, the most recent year for which data were available. On the Kootenai National Forest, 1975 data were unavailable so 1978 data were substituted.

We used ArcInfo® (Environmental Systems Research Institute, Redmond, California, USA) geographical information system (GIS) to assess and visually display the densities of open (OMRD) and total (TMRD) motorized route densities within the BMUs. Motorized routes typically include both roads and motorized trails (Interagency Grizzly Bear Committee [IGBC] 1998); however, motorized trails are inconsequential in the 3 BMUs examined, so we considered only roads in this analysis.

We assessed OMRD and TMRD with a “moving window” technique first applied to grizzly bear habitat by Mace et al. (1996). We used the specific moving window protocol for the Cabinet–Yaak and Selkirk recovery zones (W. Wakkinen and W. Kasworm, 1997, Grizzly bears and road density relationships in the Selkirk and Cabinet–Yaak recovery zones, Interagency Grizzly Bear Committee, Libby, Montana, USA). This




Fig. 3. Kilometers of open, closed, and decommissioned roads in Garver bear management unit, Cabinet–Yaak grizzly bear recovery zone, Montana, USA.

protocol uses a 1-mile² (2.6 km²) approximately circular “window” that is moved across each 30 × 30 m pixel on a map, calculating the road density within the 1-mile² area surrounding the pixel. These calculations are then aggregated for the BMU to provide OMRD and TMRD. This methodology expresses OMRD and TMRD as the percent of a BMU exceeding a specified road density level. OMRD is expressed as the percent of the BMU exceeding 1 mile/mile² of open roads. TMRD is expressed as the percent of the BMU exceeding 2 miles/mile² (Wakkinen and Kasworm unpublished report 1997). We used English units for these parameters because the National Forests use this method to monitor road densities and because the data reported by these National Forests are in English units. Road densities calculated in English units using the moving window technique cannot be converted to metric units. Our methodology is consistent with the Wakkinen and Kasworm (unpublished report 1997) protocol.

We also examined security core habitat in each BMU with a standard GIS buffering routine. Security core habitat is defined as area >500 m from an open or gated road (IGBC 1998). OMRD, TMRD, and core habitat are currently recognized as the best available measures of the effects of motorized access on grizzly bears (IGBC 1998).

Results

Quantity of roads

New roads were constructed during each of the 3 periods. Road closures and road decommissioning occurred simultaneously with construction, and the relative amounts of each determined the quantity and status of roads on the landscape.

Within Garver BMU, open roads decreased 18% (283 km to 233 km) from 1978 to 1987. An additional decrease of 24% (233 km to 177 km) occurred between 1987 and 2001. Closed roads in Garver BMU increased




Fig. 4. Kilometers of open, closed, and decommissioned roads in North Lightning bear management unit, Cabinet–Yaak grizzly bear recovery zone, Idaho, USA.

840% (24 km to 203 km) during 1978 to 1987. From 1987 to 2001, however, the amount of closed roads decreased to 127 km. This reduction was the result of road decommissioning that removed 132 km of closed roads. Road decommissioning was done for a variety of purposes, such as watershed restoration and reduction of road maintenance costs, in addition to improving grizzly bear habitat security (USFS 2002a). By 2001, the amount of open and closed roads in Garver BMU was less than in either 1978 or 1987 (Fig. 3).

The amount of open roads in North Lightning BMU remained constant at 224 km from 1975 to 1987. Between 1987 and 2001, open roads decreased 42% (224 km to 130 km). Closed roads in North Lightning BMU increased from zero in 1975 to 39 km in 1987. From 1987 to 2001, closed roads increased an additional 196% (39 km to 114 km). Road decommissioning removed 43 km of roads from the BMU between 1987 and 2001. In 2001, the amount of open and closed roads in the BMU was 9% greater than existed in 1975, but 7% less than existed in 1987 (Fig. 4).




Fig. 5. Kilometers of open, closed, and decommissioned roads in Blue-Grass bear management unit, Selkirk grizzly bear recovery zone, Idaho, USA.




Fig. 6. Open motorized route density (OMRD) in Garver, North Lightning and Blue-Grass bear management units compared to the recommended level of 33%.

Open roads in Blue-Grass BMU declined 38% (245 km to 151 km) during 1975 to 1987. A further decrease of 35% (151 km to 98 km) occurred between 1987 and 2001. Closed roads in Blue-Grass BMU increased from zero in 1975 to 287 km in 1987. A 3% increase in closed roads (287 km to 296 km) occurred between 1987 and 2001. Road decommissioning eliminated 42 km from Blue-Grass BMU between 1987 and 2001. In 2001, the total amount of roads (open and closed) existing in the BMU was 61% higher than in 1975, but 10% less than existed in 1987 (Fig. 5).

Open and total motorized route density and security core habitat

Wakkinen and Kasworm (unpublished report 1997) suggested that to maintain grizzly bear populations in their study areas, OMRD and TMRD levels should not exceed 33% of a BMU greater than 1 mile/mile² and 26% of a BMU greater than 2 mile/mile², respectively. They based their recommendations on average values




Fig. 7. Total motorized route density (TMRD) in Garver, North Lightning and Blue-Grass bear management units compared to the recommended level of 26%.




Fig. 8. Security core habitat in Garver, North Lightning and Blue-Grass bear management units compared to the recommended level of 55%.

for adult female grizzly bears with home ranges in the Cabinet–Yaak and Selkirk areas.

OMRD declined steadily in Garver and Blue-Grass BMUs during the 3 periods examined. OMRD increased slightly in North Lightning BMU from 1975 to 1987, but declined sharply from 1987 to 2001 (Fig. 6).

TMRD declined steadily in Blue-Grass BMU throughout the 3 periods. TMRD peaked in Garver and North Lightning BMUs in 1987 and declined through 2001 (Fig. 7).

Security core habitat showed essentially the inverse trend of TMRD during the 3 periods. Security core declined in Garver and North Lightning BMUs between 1975 (1978) and 1987 but then increased through 2001. In Blue-Grass BMU, security core increased throughout the 3 periods (Fig. 8). Wakkinen and Kasworm (unpublished report 1997) suggested a minimum of 55% security core habitat. Changes in security core habitat in Garver BMU (Fig. 9) through time were similar to changes in the Blue-Grass and North Lightning BMUs.




Fig. 9. Security core habitat in Garver bear management unit, Cabinet–Yaak grizzly bear recovery zone.

Discussion

Grizzly bear habitat as influenced by open roads, and to a lesser extent by total roads, is more secure in the 3 BMUs we examined than at any time in the past 25 years. We believe that habitat security for bears throughout the Cabinet–Yaak and Selkirk recovery zones declined during the late 1970s and 1980s as road construction and timber harvesting on the National Forests peaked. Forest Plans approved in 1987 included direction to manage roads in ways that improve security for grizzly bears and other wildlife (USFS 1987*a,b*). Habitat security has improved in the 3 BMUs we examined and in most other BMUs during implementation of these plans (Appendix, USFS 1998, 2002*a*). Although we did not quantify this, we believe that road access trends in the 27 BMUs throughout the recovery zones that we did not examine are broadly similar to the trends in the 3 BMUs we did examine. Data on quantity of roads, road densities, and road-related habitat effectiveness collected during implementation of the Forest Plans support our belief (USFS 1998, 1999, 2000, 2001, 2002*a,b*; Appendix).

Whether current security is sufficient to sustain bear populations is unknown. But it is likely that conditions will be conducive to bear survival where OMRD, TMRD, and core habitat are managed at the levels suggested by Wakkinen and Kasworm (unpublished report 1997). These suggested OMRD, TMRD, and security core habitat levels are based on the average of habitats used by female bears that were successful at surviving to adulthood within these recovery zones. Only one of their sample bears deviated more than 10% from the average OMRD, TMRD, or security core habitat available within home ranges of the study animals. She successfully produced 2 litters but has not been observed since 1997 (Kasworm et al. 2002). The majority of grizzly bear mortalities in the Cabinet–Yaak and Selkirk recovery zones have been human-caused. Most of these human-caused mortalities have been within 500 m of open roads on public lands (USFS 2002*c*).

Each of the 3 BMUs examined either meets or is moving toward meeting suggested OMRD, TMRD, and core habitat levels. In 2001, the OMRD, TMRD, and core recommendations of Wakkinen and Kasworm (unpublished report 1997) were met or exceeded in 67%, 50%, and 63%, respectively, of the 30 BMUs in the Cabinet–Yaak and Selkirk recovery zones (Appendix). The Kootenai, Idaho Panhandle, and Lolo

National Forests have proposed management direction to further improve habitat security for grizzly bears in the Cabinet–Yaak and Selkirk recovery zones (USFS 2002c).

Having management direction in place does not in itself ensure that the direction is effectively implemented. For example, claims have been made that road closure devices (such as gates and berms) are poorly managed and maintained, and thus ineffective (Platt 1993, Havlick 1999). However, each National Forest in the Cabinet–Yaak and Selkirk recovery zones has programs for controlling administrative use of gated roads, for monitoring and enforcing road closures, and for repairing gates and other closure devices damaged by vandalism.

Population estimates characterized as conservative for the Cabinet–Yaak and Selkirk recovery zones were 30–40 bears for the Cabinet–Yaak recovery zone (Kasworm et al. 2002:39) and 46 bears for the Selkirk recovery zone (USFWS 1999:26731). Population trends for both recovery zones were statistically inconclusive (USFWS 1999, 2001), a situation difficult to avoid given the small population sizes. During 1983–2002, Wakkinen and Kasworm (2004) calculated $\lambda = 0.964$ (95% CI = 0.844–1.063) for the Cabinet–Yaak and $\lambda = 1.019$ (95% CI = 0.922–1.098) for the Selkirks. Some anecdotal evidence suggests both these populations may be slowly increasing. This evidence includes increasing numbers of sightings (W. Kasworm, U.S. Fish and Wildlife Service, Libby, Montana, USA and W. Wakkinen, Idaho Department of Fish and Game, Bonners Ferry, Idaho, USA, personal communication, 2003) and expansion of bears into areas not previously known to be occupied (USFS 2002d). The available data on mortality and population trends are inadequate to determine whether these parameters have been influenced by reduced motorized access. Other studies have identified the effects of forest roads on grizzly bears and the important role limiting motorized access plays in grizzly bear conservation (McLellan and Shackleton 1988, Mace et al. 1996, Wielgus et al. 2002). We believe that had reductions in motorized access not occurred in the Cabinet–Yaak and Selkirk recovery zones, these grizzly bear populations would be even more imperiled than they currently are.

Acknowledgments

We thank W. Kasworm, U.S. Fish and Wildlife Service, Libby, Montana, and W. Wakkinen, Idaho Department of Fish and Game, Bonners Ferry, for use

of their mortality data and for assistance in its interpretation. T. Wittinger and an anonymous reviewer provided helpful comments that improved the original manuscript.

Literature cited

- HAVLICK, D.G. 1999. Roaded lands, eroded habitat: findings and implications of the Roads Scholar Project 1994–1997. Predator Project, Bozeman, Montana, USA.
- INTERAGENCY GRIZZLY BEAR COMMITTEE. 1998. Grizzly bear/motorized access management. Interagency Grizzly Bear Committee task force report, revised 1998. Interagency Grizzly Bear Committee, Missoula, Montana, USA.
- KASWORM, W.F., H. CARRILES, AND T.G. RADANT. 2002. Cabinet–Yaak grizzly bear recovery area 2001 research and monitoring progress report. U.S. Fish and Wildlife Service, Missoula, Montana, USA.
- MACE, R.D., J.S. WALLER, T.L. MANLEY, L.J. LYON, AND H. ZURING. 1996. Relationships among grizzly bears, roads, and habitat in the Swan Mountains, Montana. *Journal of Applied Ecology* 33:1395–1404.
- MCLELLAN, B.N., AND D.M. SHACKLETON. 1988. Grizzly bears and resource extraction industries: effects of roads on behavior, habitat use and demography. *Journal of Applied Ecology* 25:451–460.
- PLATT, T.M. 1993. Cabinet–Yaak grizzly bear ecosystem: 1992 Forest Service road closure program compliance inventory. Alliance for the Wild Rockies, Missoula, Montana, USA.
- U.S. FISH AND WILDLIFE SERVICE. 1993. Grizzly bear recovery plan. U.S. Department of the Interior Fish and Wildlife Service, Missoula, Montana, USA.
- . 1995. Amended biological opinion on the 1987 Kootenai Forest Plan. U.S. Department of the Interior Fish and Wildlife Service, Helena, Montana, USA.
- . 1999. Endangered and threatened wildlife and plants: 12-month finding on petitions to change the status of grizzly bear populations in the Selkirk area in Idaho and Washington and the Cabinet–Yaak area of Montana and Idaho from threatened to endangered. *Federal Register* 64:26725–26733.
- . 2001. Amended biological opinion for the continued implementation of the Idaho Panhandle National Forests land and resource management plan. U.S. Fish and Wildlife Service, Spokane, Washington, USA.
- U.S. FOREST SERVICE. 1987a. Idaho Panhandle National Forest land and resource management plan. U.S. Department of Agriculture Forest Service, Idaho Panhandle National Forest, Coeur d'Alene, Idaho, USA.
- . 1987b. Kootenai National Forest land and resource management plan. U.S. Department of Agriculture Forest Service, Kootenai National Forest, Libby, Montana, USA.

- . 1990. CEM—a model for assessing effects on grizzly bears. U.S. Department of Agriculture Forest Service, Northern Region, Missoula, Montana, USA.
- . 1998. Forest plan monitoring and evaluation report, fiscal year 1997. U.S. Department of Agriculture Forest Service, Kootenai National Forest, Libby, Montana, USA.
- . 1999. Forest plan monitoring and evaluation report, fiscal year 1998. U.S. Department of Agriculture Forest Service, Idaho Panhandle National Forest, Coeur d'Alene, Idaho, USA.
- . 2000. Forest plan monitoring and evaluation report, fiscal year 1999. U.S. Department of Agriculture Forest Service, Idaho Panhandle National Forest, Coeur d'Alene, Idaho, USA.
- . 2001. Forest plan monitoring and evaluation report, fiscal year 2000. U.S. Department of Agriculture Forest Service, Idaho Panhandle National Forest, Coeur d'Alene, Idaho, USA.
- . 2002a. Forest plan monitoring and evaluation report, fiscal year 2001. U.S. Department of Agriculture Forest Service, Kootenai National Forest, Libby, Montana, USA.
- . 2002b. Forest plan monitoring and evaluation report, fiscal year 2001. U.S. Department of Agriculture Forest Service, Idaho Panhandle National Forest, Coeur d'Alene, Idaho, USA.
- . 2002c. Final environmental impact statement on forest plan amendments for motorized access management within the Selkirk and Cabinet–Yaak grizzly bear recovery zones. U.S. Department of Agriculture Forest Service, Kootenai, Idaho Panhandle and Lolo National Forests, Libby, Montana, USA.
- . 2002d. Grizzly bear distribution map. U.S. Department of Agriculture Forest Service, Northern Region, Missoula, Montana, USA.
- WAKKINEN, W.L., AND W.F. KASWORM. 2004. Demographics and population trends of grizzly bears in the Cabinet–Yaak and Selkirk Ecosystems of British Columbia, Idaho, Montana, and Washington. *Ursus* 15:65–75.
- WIELGUS, R.B., P.R. VERNIER, AND T. SCHIVACHEVA. 2002. Grizzly bear use of open, closed, and restricted forestry roads. *Canadian Journal of Forest Research* 32:1597–1606.

Received: 3 January 2003

Accepted: 10 December 2003

Editor: S.D. Miller

Appendix. Open motorized route density (OMRD), total motorized route density (TMRD), and percent core habitat in Cabinet–Yaak and Selkirk recovery zone BMUs, 1998–2001 (USFS 1999, 2000, 2001, 2002a). nd indicates no data available. Entries in bold exceed recommendations of Wakkinen and Kasworm (1997).

Bear management unit (BMU)	OMRD (% > 1 mile/square mile)				TMRD (% > 2 mile/square mile)				Core (%)			
	1998	1999	2000	2001	1998	1999	2000	2001	1998	1999	2000	2001
Cabinet–Yaak Recovery Zone												
Cedar	23	13	12	12	16	9	11	11	69	84	83	83
Snowshoe	nd	18	17	17	nd	15	14	14	nd	77	78	77
Spar	nd	23	24	26	nd	31	30	27	nd	57	58	61
Bull	39	39	36	36	28	27	26	26	62	61	63	63
St. Paul	29	28	27	27	23	21	21	21	60	61	62	65
Wanless	37	32	34	34	35	34	33	32	51	51	53	55
Silver Butte/Fisher	27	23	23	23	22	19	20	20	65	66	66	66
Vermilion	32	32	32	32	23	21	21	23	54	57	57	56
Callahan	nd	36	32	32	nd	31	28	27	nd	53	56	57
Pulpit	50	50	45	41	41	37	34	32	42	45	48	49
Roderick	32	33	29	29	31	31	27	28	52	52	55	54
Newton	nd	43	45	43	nd	28	31	29	nd	56	56	57
Keno	34	37	34	33	23	26	24	24	58	56	59	62
NW Peak	31	32	28	35	24	22	26	26	58	60	56	56
Garver	32	30	31	31	45	34	32	32	35	46	48	47
E. Fork Yaak	38	36	31	28	45	42	38	38	38	40	45	45
Big Creek	43	37	32	32	44	33	27	26	32	42	49	50
Boulder	nd	37	37	37	nd	35	35	35	nd	48	48	48
Grouse	nd	45	45	45	nd	42	41	41	nd	41	41	41
N. Lightning	nd	38	38	38	nd	20	20	20	nd	61	61	61
Scotchman	nd	35	35	35	nd	27	27	27	nd	63	63	63
Cabinet–Yaak BMUs												
(%) meeting or exceeding recommendation	54	48	57	57	46	38	43	48	54	57	67	67
Selkirk Recovery Zone												
Blue-Grass	30	30	30	30	33	33	29	29	44	45	49	49
Long Smith	25	21	21	21	14	12	13	13	71	71	73	73
Bali Trout	nd	26	16	16	nd	10	9	9	nd	74	74	74
Myrtle	20	28	31	31	18	18	19	19	60	61	60	60
Kalispell Granite	34	31	31	31	38	29	29	29	43	46	46	46
Salmo Priest	30	30	30	30	24	24	24	24	64	64	64	64
Sullivan Hughes	20	20	20	20	23	23	23	23	55	55	55	55
LeClerc	38	38	24	24	48	48	49	49	33	33	33	33
Lakeshore	nd	82	82	82	nd	56	56	56	nd	17	16	16
Selkirk BMUs (%) meeting or exceeding recommendation	43	78	89	89	57	56	56	56	57	56	56	56
All BMUs (%) meeting or exceeding recommendation	50	57	67	67	50	43	47	50	55	57	63	63